

Mary K. Keyer AT&T Kentucky
General Attorney 601 W. Chestnut Street
Kentucky Legal Department Room 407
Louisville, KY 40203

T 502-582-8219 F 502-582-1573 mary.keyer@att.com

December 22, 2009

RECEIVED

DEC 2 8 2009

Mr. Jeff Derouen Executive Director Public Service Commission 211 Sower Boulevard P.O. Box 615 Frankfort, KY 40602-0615 2009-00543

PUBLIC SERVICE COMMISSION

Re:

BellSouth Telecommunications, Inc.'s, d/b/a AT&T Kentucky, Petition Requesting the Commission's Intervention in NANPA NXX Code Assignments (Richmond Rate Center, Area Code 859)

Dear Mr. Derouen:

Enclosed are the original and ten (10) copies of BellSouth Telecommunications, Inc., d/b/a AT&T Kentucky's Petition for Review of NXX Code Denial in the Richmond Rate Center. Thank you for your consideration of this request.

Sincerely,

Mary K. Keyer

**Enclosures** 

765413

## COMMONWEALTH OF KENTUCKY

### BEFORE THE PUBLIC SERVICE COMMISSION

RECEIVED

DEC 2 8 2009

PUBLIC SERVICE COMMISSION

In the Matter of:

BellSouth Telecommunications, Inc.,	)	
d/b/a AT&T Kentucky's, Petition Requesting	)	Case No. <u>00543</u>
the Commission's Intervention in NANPA	)	•
NXX Code Assignments (NPA 859)	)	

### BELLSOUTH TELECOMMUNICATIONS. INC., d/b/a AT&T KENTUCKY'S, PETITION FOR REVIEW OF NXX CODE DENIAL IN THE RICHMOND RATE CENTER

BellSouth Telecommunications, Inc., d/b/a AT&T Kentucky ("AT&T Kentucky"), through its undersigned counsel, pursuant to the rules adopted by the Federal Communications Commission ("FCC") for challenging determinations of the North American Numbering Plan Administrator ("NANPA"), petitions the Kentucky Public Service Commission ("Commission") for review of NANPA's denial of AT&T Kentucky's application for use of central office numbering resources in the 859 area code. In support of its petition, AT&T Kentucky states:

- AT&T Kentucky is a telecommunications utility regulated by the Commission. It provides, among other services, intraLATA local exchange telecommunications services in the Commonwealth of Kentucky.
- 2. NANPA is an independent non-governmental entity that is responsible for administering and managing the North American Numbering Plan ("NANP"). See 47 C.F.R. Sec. 52.13 (a), (b).

- 3. On March 31, 2000, the FCC issued a Report and Order and Further

  Notice of Proposed Rule Making relating to numbering resource

  optimization ("FCC 00-104"). The goal of FCC 00-104 was to implement
  uniform standards governing requests for telephone numbering resources
  in order to increase efficiency in the use of telephone numbers and to
  avoid further exhaustion of numbers under the NANP.
- 4. Among other things, FCC 00-104 adopted a revised standard for assessing a carrier's need for numbering resources by requiring carriers to report rate-center-based utilization data to NANPA, rather than switch-specific utilization data. The FCC further required that, to qualify for access to new numbering resources, applicants must establish that existing inventory within the applicant's rate center will exhaust within six (6) months of the application. The FCC reaffirmed this requirement in two subsequent orders. FCC 00-429 at para. 29 (rel. Dec. 29, 2000); FCC 01-362 at para. 48-49 (rel. Dec. 28, 2001).
- 5. The shift to a rate center basis for determining the need for new numbering resources was intended to "more accurately reflect how numbering resources are assigned" and to allow carriers "to obtain numbering resources in response to specific customer demands." FCC 00-104, para. 105.
- 6. In addition to the months-to-exhaust ("MTE") requirement described above, the FCC's rules also require carriers to meet a rate center utilization threshold of seventy-five percent (75%) in order to receive

- additional numbering resources in a given rate center. FCC 00-429 at para. 22; FCC 01-362, para. 50-52. Based on the FCC's orders, carriers must meet both the MTE requirement and the utilization threshold requirement on a rate center basis in order to obtain additional numbering resources. Id.
- 7. On December 22, 2009, AT&T Kentucky submitted a Central Office Code
  (NXX) Assignment Request and CO Code Assignment/Months-to-Exhaust
  Certification Request Worksheet to NANPA for the assignment of one
  block of a thousand numbers needed to meet the numbering demand for
  100 consecutive numbers for the Meijer Corporation in Richmond,
  Kentucky. The application is attached hereto as Attachment 1.
- 8. AT&T Kentucky completed the application in accordance with the Industry Numbering Committee's Guidelines and filled out the necessary Months-To-Exhaust Certification Worksheets as required.
- 9. The code assignment request was for an NXX in the 859 NPA to meet
  Meijer's request for sequential numbers. AT&T Kentucky, however, did
  not have the sufficient number of resources available within its inventory
  in the Richmond rate center and was unable to meet the customer's
  specific request for numbering resources. At the time of the filing of the
  code request, the Richmond rate center had a MTE of 62 and a utilization
  of 62.21%. AT&T Kentucky submitted this code request because the
  Richmond switch that serves the customer does not have a block of
  sequential numbers large enough to meet the customer's needs. On

December 22, 2009, NANPA's Central Office Code Administration denied AT&T Kentucky's code request on the grounds that AT&T Kentucky had not met the rate-center-based months-to-exhaust and utilization criteria now set forth in the Central Office (NXX) Guidelines. NANPA denied AT&T Kentucky's code requests despite the fact that AT&T Kentucky does not have adequate numbering resources needed to satisfy its customer's demands in the above-referenced switch. NANPA's response is on the last two pages of Attachment 1.

- 10. AT&T Kentucky's inability to provide this important customer Meijer

  Corporation with the requested numbers prevents AT&T Kentucky from

  providing the quality of service this customer desires, needs, and expects.

  If AT&T Kentucky is not assigned the code needed to meet the

  customer's request, AT&T Kentucky will be unable to provide the

  telecommunications services requested by the customer. NANPA's

  refusal to grant numbering resources sufficient to meet Meijer's need is

  inconsistent with the FCC's position that "[u]nder no circumstances should

  consumers be precluded from receiving telecommunications services of
  their choice from providers of their choice for want of numbering

  resources." FCC 00-429 at para.61.
- 11. Both the FCC's rules and the Central Office Code (NXX) Guidelines provide that state regulatory authorities have the power and authority to

<sup>&</sup>lt;sup>1</sup> AT&T Kentucky employs a number administration technique called "sequential numbering" in order to preserve the largest blocks of consecutive numbers for as long as possible. The lack of consecutive numbers in the switches referred to above is the consequence of a high level of utilization, not any failure on AT&T Kentucky's part to conserve blocks of consecutive numbers.

review NANPA's decision to deny a request for numbering resources.

See FCC 01-362, Appendix A, Final Rules, para. 52.15(g)(4)("The carrier may challenge the NANPA's decision to the appropriate state regulatory commission.") FCC 01-362 at para. 61-66; Central Office Code (NXX)

Guidelines para. 13.0 ("Appeals may include but are not limited to one or more of the following options: . . . C. The CO Code Administrator(s) and code holders/applicants may pursue the disagreement with the appropriate governmental/regulatory body").

12. Prior to the FCC's orders and the resulting change in the Central Office
Code (NXX) Assignment Guidelines, the MTE procedures used by
NANPA permitted a carrier to receive a code assignment, even if the MTE
requirement at the switch level was not met. These waivers or exceptions
were granted where customer hardships could be demonstrated or where
the service provider's inventory did not have a block of sequential
numbers large enough to meet the customer's specific request. Under
today's procedures, NANPA looks at the MTE for the entire rate center
without any exceptions. The FCC has determined, however, that States
may grant relief "if a carrier demonstrates that it has received a customer
request for numbering resources in a given rate center that it cannot meet
with its current inventory." FCC 01-362, para. 64. In addition, the FCC
has ruled that, "States . . . may grant requests for customers seeking
contiguous blocks of numbers." Id.

13. AT&T Kentucky requests that the Commission reverse NANPA's decision to withhold numbering resources from AT&T Kentucky.

14. This Commission, as well as the Commissions in Alabama, Florida, Georgia, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee, has previously addressed similar situations and ordered NANPA to provide AT&T Kentucky with the numbering resources, even though AT&T Kentucky was unable to satisfy the requirements.

WHEREFORE, AT&T Kentucky requests that the Commission:

1. Reverse the decision of NANPA to deny AT&T Kentucky's requests for additional numbering resources,

2. Direct NANPA to provide the requested thousand blocks of numbers for the switch identified herein, and

3. Grant the requested relief as soon as practicable.

Respectfully submitted this 22nd day of December, 2009.

601 W. Chestnut Street, Room 407

Louisville, KY 40203

(502) 582-8219

COUNSEL FOR BELLSOUTH TELECOMMUNICATIONS, INC., d/b/a AT&T KENTUCKY

765414

# **ATTACHMENT 1**

	Pooling /	 Administ	tration System	
rena.wilkie@att.com (SP)	-		<del>-</del>	Sign Out
	Time	: 12/22/2009 01:		
副 由国Individual Block Requests 由国CO/NXX Code			Printab TBPAG Attachment 1 - March 19, 2007	le Version
Requests 由国Withdraw	7	Thousands-Bl	ock Application Form - Part 1A	
Pending Requests Gonfirm Resources In Service Gonate Blocks Gonate Submit Forecast	Tracking Number:	859- RICHMOND- KY-332415 Individual Block Request		
☐ ⑤ Search Forms ☐ ⑥ Reports ☐ ⑥ User Profile	Type of Application:	<sup> </sup> ✓ New	Change Connect	
	1.1 Contact Ir		APPLICATION INFORMATION	
	Block Applicar	nt:		
	Company Name:	BELLSOUTH	SO CNTL	
	Headquarters Address:	500 Broad St	SE	
	City, State, Zip:	Gainesville, C	GA, 30501	
	Contact Name:	Rena Buttica	<u>1Z</u>	
	Contact Address:	500 Broad St		
		Gainesville,	GA , 30501	
	945-9630	FAX: <u>770-</u> 945-9630	E-mail: <u>rw0052@att.com</u>	
	Pooling Admir Contact	nistrator: " Genevieve B	ettiaa	
	Name: Contact	1800 Sutter S	-	
	Address: City State Zin	CA, Concord		
	Phone:		2 FAX: <u>925-363-7683</u>	
		evieve.bettiga@r		
	1.2 General I	nformation:		
	Check one :	No LRN needed	XLRN needed <sup>iii</sup>	
	NPA: <b>859</b>	LATA: 466	OCN: iv Parent Company's OCN 9419 9400	

	ching Identification(Switch Entity/POI): <sup>v</sup> RCMDKYMADS0
City	or Wire Center Name : Rate Center: vi RICHMOND_
łate	Center Sub Zone:
.3 [	Pates:
	of Application: vii _ Requested Block Effective Date: viii 2/2009 01/22/2010
oss ppl	By selecting this checkbox, I acknowledge that I am requesting the earliest ible effective date the Administrator can grant. Please note that this only es to a reduction in the Administrator's processing time, however the est will still be processed in the order received.
₹eq	uest Expedited Treatment? (See Section 8.6) YesNo <b>X</b>
.4 -	ype of Service Provider Requesting the Thousands-Block :
	Type of Service Provider : <u>Incumbent Local Exchange Carrier (ILEC)</u> (LEC, IXC, CMRS, Other)
o)	Primary type of service Blocks to be used for : Wireline
,	Thousands-Block(s) (NXX-X) assignment Preference (Optional)
REC d)	QUEST 859-575-5 Thousands-Block(s) (NXX-X) that are undesirable for this assignment, if
any	
e) (ee	If requesting a code for LRN purposes, indicate which block(s) you will be bing(the remainder of the blocks will be given to the pool)
	singline remainder of the blocks will be given to the poor
.5	Type of Request:
nitia auth Groy	Type of Request:  Il block for rate center: YesIf Yes, attach evidence of orization and proof of capability to provide service within 60 days.
nitia auth Grov vork	Type of Request:  Il block for rate center: YesIf Yes, attach evidence of orization and proof of capability to provide service within 60 days. with block for rate center: YesXIf Yes, attach months to exhaust
nitia auth Grov work Foloc oloc oe a	Type of Request:  If block for rate center: YesIf Yes, attach evidence of orization and proof of capability to provide service within 60 days. With block for rate center: YesXIf Yes, attach months to exhaust esheet  By selecting this checkbox, I acknowledge that I am willing to accept a k in red and explicitly understand that the underlying CO code may not yet
nitia auth Grov vorl vorl oloc pe a	I block for rate center: YesIf Yes, attach evidence of orization and proof of capability to provide service within 60 days. With block for rate center: YesXIf Yes, attach months to exhaust isheet  By selecting this checkbox, I acknowledge that I am willing to accept a k in red and explicitly understand that the underlying CO code may not yet ctivated in the PSTN and loaded in the NPAC on the block effective date.
nitia luth Grov vorl loc loc e a	Type of Request:  I block for rate center: YesIf Yes, attach evidence of orization and proof of capability to provide service within 60 days. with block for rate center: YesXIf Yes, attach months to exhaust sheet  By selecting this checkbox, I acknowledge that I am willing to accept a k in red and explicitly understand that the underlying CO code may not yet ctivated in the PSTN and loaded in the NPAC on the block effective date. e of change(Mark all that apply)
nitia auth Grov vork Diloc de a Typ	I block for rate center: YesIf Yes, attach evidence of orization and proof of capability to provide service within 60 days. With block for rate center: YesXIf Yes, attach months to exhaust isheet  By selecting this checkbox, I acknowledge that I am willing to accept a k in red and explicitly understand that the underlying CO code may not yet ctivated in the PSTN and loaded in the NPAC on the block effective date. The of change (Mark all that apply)  OCN:Intra-company ix Switching Id Part 1B
nitia auth Grov work Dioc Dioc Dioc Typ	I block for rate center: YesIf Yes, attach evidence of orization and proof of capability to provide service within 60 days. With block for rate center: YesXIf Yes, attach months to exhaust isheet  By selecting this checkbox, I acknowledge that I am willing to accept a k in red and explicitly understand that the underlying CO code may not yet ctivated in the PSTN and loaded in the NPAC on the block effective date. The och inter-company ix Switching Id Part 1B OCN:Inter-company x Effective Date
nitia auth Grov work Dloc be a Typ	I block for rate center: YesIf Yes , attach evidence of orization and proof of capability to provide service within 60 days. With block for rate center: Yes
nitia auth Grov work Dloc be a Typ Cha	I block for rate center: YesIf Yes , attach evidence of orization and proof of capability to provide service within 60 days. With block for rate center: YesXIf Yes , attach months to exhaust isheet  By selecting this checkbox, I acknowledge that I am willing to accept a k in red and explicitly understand that the underlying CO code may not yet citivated in the PSTN and loaded in the NPAC on the block effective date. The och: Intra-company ix Switching Id Part 1B OCN:Intra-company x Effective Date If Yes , list NPA-NXX-X Block Return:  Is this block Contaminated Yes No
nitia auth Grov work Dloc be a Typ	I block for rate center: YesIf Yes , attach evidence of orization and proof of capability to provide service within 60 days. With block for rate center: Yes

d)	Has this block been protected from further assignment Yes	_ No
Disc	connect block : YesIf Yes , list NPA-NXX-X	
Ren	narks:	

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines(ATIS-0300066) available on the ATIS web site (http://www.atis.org/inc) or by contacting inc@atis.org as of the date of this application.

**Technical** 12/22/2009 Rena Butticaz Support **Analyst** 

Signature of Block Applicant Title Date

**Associate** 

### Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator s name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia TM Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider xi. Explanations of these terms may be found in the

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousandsblock.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the

block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied. The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

#### Foot Notes:

- Identify the type of change(s) in Section 1.5.
- ii The Pool Administrator is available to assist in completing these forms.
- iii A CO Code application will also need to be submitted to the PA.
- iv Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).
- V This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.
- vi Rate Center name must be a tariffed Rate Center.
- vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.
- viii Please ensure that the NPA-NXX of the LRN to be associated with this block (s) is/will be active in the network prior to the effective date of the block(s).
- ix Select if you are the current Block Holder.
- <sup>x</sup> Select if you are <u>not</u> the current Block Holder
- xi Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

Back

Question? Email us © 1997-2012 NeuStar, Inc. Legal Notice

		Poo	ling	Adn	ninis	strati	ion (	Syst	em				
rena.wilkie@a	tt.com (SP)											• S	ign Out
			Time	: 12/22	2/2009 0	1:12:41	PM ES	T					
国 Individual Block Requests 田田 (CO/NXX Code Requests	Appendix 3 MONTHS		( <b>HAUS</b> ' Thousa								HEET	May 1	Version 6, 2008 evel <sup>1</sup>
Pending Requests Gonfirm Resources In Service	Tracking Num Date: 12/22/2 Rate Center:	009 RICHM	OND	OCN	: <u>9419</u>				ame: <u>BE</u>	ELLSOL	ITH SO	CNTL	
由 国Donate Blocks 由 国Submit Forecast 由 国Search	List all Codes  Name of Bloc	·				ZA(S)-IV.		: Signatur	e: <b>Ren</b> a	a Buttic	az		
Forms ⊞ BReports ⊞ BUser	Title: <b>Associa</b> FAX No.: <b>770</b>	ite Tecl 9-945-96	nnical S 630	upport	Analys	<u>t</u>	٦	Γelephoι	ne No.:	770-945	5-9630		
Profile	E-mail: rw00!  A. Available  B. Assigned  C. Total Nun  D. Quantity of the Utilization	Numbe Numbe nbering	rs: <u>1827</u> 4 rs: <u>3476</u> Resourd ers activ	: <u>4</u> ::es: <u>558</u> :/ated in		st 90 day	vs (incre	ements o	of 1,000	or 10,0	00) and	exclude	ed from
	List Excluded Code(s) or Block(s):												
			Month										
	E. Growth History - Previous 6 months <sup>3</sup> F. Forecast - Next 12 months <sup>4</sup>	#1 <u>47</u>	#2 139 1132	#3 150	#4 121 132	#5 <b>225 132</b>	#6 108	#7	#8 132	#9 132	#10	#11	#12 <u>132</u>
	G. Average	Monthly	/ Foreca	st (Sum	n of mor	iths 1-6	(Part F	above) (	divided	by 6): <u>29</u>	8.667		

H. Months to Numbers Available for Assignment to  Exhaust <sup>5</sup> Customers(A)  = Average Monthly Forecast(G)
Average Monthly Forecast(G)
Block Requested Available Numbers Months To Exhaust  1 18274 61.185
I. Utilization <sup>6</sup> Assigned Numbers(B) - Excluded Numbers(D) X 100 = 62.214
Total Numbering Resources(C)-Excluded Numbers(D)
Explanation:
<sup>1</sup> A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.
<sup>2</sup> Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received =10,000).
<sup>3</sup> Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.
<sup>4</sup> Forecast of TNs needed in each following month, starting with the most recent month as Month #1.
<sup>5</sup> To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).
<sup>6</sup> Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g) (3)(ii))
 Back
Question? Email us © 1997-2012 NeuStar, Inc.

## TIPTON, JIM (ATTSI)

From: Sent: Fo: Cc: Subject:	Tuesday, De ANTELO, M PA_Part3@r		TTICAZ, RENA WILKIE	E (ATTOPS) racking Number: 859-RICH	MOND-
	oling Administration	on System			
	November 21, 2003 ATIS-0300066.at3	oling Administrator's Res	sponse/Confirmation	Attachment 3	
		TBPAG Pa	irt 3		
	Tracking Number :	859-RICHMOND-KY 332415	- -		
	Date of Application:	12/22/2009	Effective Date:		
	Date of Receipt:	12/22/2009	Date of Response:	12/22/2009	
	Service Provider Name:	BELLSOUTH SO CN	ITL		
	(Telcordia <sup>IM</sup> LERG <sup>IM</sup> Routing Guide ) OCN:	9419			
	NPAC SOA SPID :	Payment to the second of the s			
	Pooling Administrator Co Genevieve Bettiga	ntact Information: Phone:		925-363-7652	
	Signature of Pooling Admini Genevieve Bettiga	strator Fax:		925-363-7683	
	Name (print)	rax.		920-303-7003	
	Email:	genevie	ve.bettiga@neustar.b	<u> Diz</u>	
	NPA-NXX or NPA- NXX-X :		Block As	signed:	
	POSTORO DE LA CONTRACTOR DE LA CONTRACTO		Block Res	served :	
			Block Res Expiration		
			Block/Cod Modified :	Property of the Control of the Contr	
			Block/Coo Disconnec		

	Block Contaminated(Yes or No):	Recommended to the control of the co
	If Yes,enter the number of TNs contaminated :	economical massacción antique considera que que que la proper proper proper proper proper proper proper proper
	Switch Identification(Switch Entity/POI): 1	RCMDKYMADS0
	Rate Center:	RICHMOND
	Rate Center Sub Zone:	
X	Form Complete, request denied.	
	Explanation:	
	DR-57: You do not meet the MTE and/or Utilization requirequest for a new block is denied. You may proceed with from the appropriate state commission using this Part 3 disagreement with the disposition of this request, pleas Block Number (NXX-X) Pooling Administration Guideline	h requesting a State Waiver denial. If you are in e refer to the Thousands-
	Request withdrawn.	
	Explanation:	
	Assignment activity suspended by the administrator.	
	Explanation:	
R	emarks:	

<sup>&</sup>lt;sup>1</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI TM Location Identification code of the switching entity/POI shown on the Part 1A form (Telcordia, LERG ROUTING Guide and CLLI are trademarks of Telcordia Technologies, Inc.)